

(20250625

GB29743.2-2025

3.2 ~~CE5~~

I/O

4.2.2

" "

0.05mbar

0.5%

4.2.3

4.2.3.1

4.2.3.2

40L

304

4.2.3.3

4.2.3.4

± 0.5%

± 0.03%


4.2.3.5

0.5%

4.2.3.6

30µ n

1 X



4.2.6

4.2.6.1

4.2.6.2

4.2.6.3

4.2.6.4

4.2.6.5

4.2.6.6

4.2.6.7

4.2.6.8

4.2.6.9

4.2.6.10

4.2.6.11

4.2.7

È 40 Æ B J Q

1 a \$ Y Ö È 3 0 y e J Q È Æ B J Q à ñ 0 0 0 €

5.1 5%

5.2 ()

5.3 90

6.1

6.2

6.3

6.4

6.5

7.1

7.1.1

7.1.2

7.1.3

7.1.3

7.1.4

7.2

7.2.1

7.2.2

E

VAGG

7.2.5

> 7 > MP14 >

1000 > B/0 2 5 8 1 3 4 7 0 1 2 3 4 5 6 7 8 9 P sY1Ei >

Ä

8.1 Ö Ä

10.1

F₄@ÑÀF₄
í
¼ ¼ 1-2
?B9'0É@
ÓÔÀ)G@ñ0]D™p,

Đóp

S E